

# PATCH PANEL - ANGLED HOLDERS



## Angled holders STANDARD

### Field of Application

Designed for PP-Front Plates where you need Optical adapters angled exit, angle app. 42° to Front plate. With angled exit you decrease PP depth.

### Features:

- easy snap Optical adapter in angled holder (AH) and fixing without screws
- suitable for all standard optical adapters, all plastic optical adapters Flange less Type
- easy instalation AH in front plate, Front plate thickness 1,2mm
- Suitable for Right, Left or Half R and Half L exit
- Material: ABS plastic, Black
- Special tool for easier pull out AH with inserted optical adapter



## Recommended cutouts on front plates for ANGLED HOLDERS STANDARD (SC, FC, ST):

-Recommended cutout for




ANGLED HOLDERS:SCsx, FCsx, STsx

-Recommended cutout for

ANGLED HOLDERS:SCdx, FCdx, STdx



- Material thickness: t=1.2 mm
- Dimensions after coloured






## PATCH PANEL - ANGLED HOLDERS


**SC cutout ANGLED HOLDER sx** – Useful for SCsx, LX.5dx, E2000sx, LCdx adapters

AH with SC sx cutout


Ordering code: AHS sx




SC sx



E2000 sx



LC dx





LX.5 dx


**2x SCsx cutout ANGLED HOLDER dx** – Useful for SCsx, LX.5dx, E2000sx, LCdx adapter

AH with 2x SC sx cutout


Ordering code: AHS dx



2x SC sx



2x E2000 sx



2x LC dx



2x LX.5 dx






# PATCH PANEL - ANGLED HOLDERS




## FC & ST cutout ANGLED HOLDERS sx - useful for FC & ST adapters

AH with FC D4 cutout  
Ordering code: AHF sx

AH with ST cutout  
Ordering code: AHT sx



FC








ST

## 2x FC & 2x ST cutout ANGLED HOLDERS dx - useful for FC & ST adapters

AH with 2x FC D4 cutout  
Ordering code: AHF dx

AH with 2x ST cutout  
Ordering code: AHT dx



2x FC



2x ST